DEFENDER 110 STANDARD SPECIFICATIONS

Feature and equipment changes from 110 S variant

110 D250 STANDARD

Sound system in lieu of Meridian Sound System

No roof rails

18" steel wheels in lieu of 19" alloys

18" steel spare wheel in lieu of 19" spare

No spare wheel lock

No heated seats

Light Cloud headlining in lieu of Ebony Morzine headlining

From **£62,795**

Vehicle prices shown including VAT, delivery charges, and estimated government fees and duties.

224 CO₂ Emissions (from) (g/km) 33.1 Fuel consumption (up to) (mpg)

The figures provided are as a result of official manufacturer's tests in accordance with EU legislation. For comparison purposes only. Real world figures may differ. CO₂, Equivalent All-Electric Range (EAER) and fuel economy figures shown on this website are estimated and may vary according to wheel fitment and optional extras fitted. Definitive CO₂, Equivalent All-Electric Range (EAER) and fuel economy figures will be confirmed by your retailer prior to order confirmation, together with final On the Road pricing. WLTP is the new official EU test used to calculate standardised fuel consumption and CO₂ figures for passenger cars.

PERFORMANCE

Maximum speed mph (km/h)

Acceleration secs 0-60mph (0-100 km/h)

POWERTRAIN

Capacity (cc) Maximum power (HP/rpm) Maximum torque (Nm/rpm) Transmission Tank capacity (litres approx.)

WEIGHTS

Unladen weight (EU) (kg) Unladen weight (DIN) (kg) Gross Vehicle Weight (GVW) (kg)

TOWING

Unbraked trailer (kg) Maximum towing (kg) Maximum coupling point (nose weight) (kg) Maximum vehicle and trailer combination (GT

ROOF CARRYING

Maximum roof load (including cross bars) (kg)

DIMENSIONS

Height (mm)	
Length (mm)	
Width with mirrors folded (mm)	
Width with mirrors out (mm)	
Front wheel track (mm)	
Rear wheel track (mm)	
Wheelbase (mm)	

HEADROOM

Maximum first row / second row / third row headroom with standard roof (mm)

Maximum first row / second row / third row headroom with panoramic/fabric roof (mm)

LEGROOM

Maximum first row / second row / third row legroom (mm)

	117 (188)
	7.9 (8.3)
	2,997
	249 / 4,000
	570 / 1,250 - 2,500
	Automatic
	89
	2,436 (5 seats) 2,506 (5+2 seats)
	2,361 (5 seats) 2,431 (5+2 seats)
	3,200 (5 seats) 3,280 (5+2 seats)
	750
	3,500 (5 seats) 3,495 (5+2 seats)
	150
⁻W) (kg)	6,700 (5 seats) 6,775 (5+2 seats)
)	100 (All-Season Tyres) 168 (All-Terrain Tyres)
	1,972 (Coil Suspension) 1,967 (Air Suspension)
	4,758 (Without spare wheel) 5,018 (With spare wheel)
	2,008
	2,105
	1,704 (Coil Suspension) 1,706 (Air Suspension)
	1,700 (Coil Suspension) 1,702 (Air Suspension)
	3,022
	1,032 / 1,025 / NA (5 seats) 1,032 / 1,025 / 1,041

LOADSPACE	CAPACITY
	•/ / . •

Height (mm)	904
Width (mm)	1,211 (5 seats) 1,188 (5+2 se
Width between arches (mm)	1,160
Length behind first row (mm)	1,763 (5 seats) 1,789 (5+2 se
Maximum loadspace volume behind first row - Dry (litres)	1,875 (5 seats) 1,826 (5+2 se
Maximum loadspace volume behind first row - Wet (litres)	2,277 (5 seats) 2,233 (5+2 se
Length behind second row (mm)	919 (5 seats) 900 (5+2 seat
Maximum loadspace volume behind second row - Dry (litres)	786 (5 seats) 743 (5+2 seat
Maximum loadspace volume behind second row - Wet (litres)	972 (5 seats) 916 (5+2 seat
Length behind third row (mm)	289
Maximum loadspace volume behind third row - Dry (litres)	160
Maximum loadspace volume behind third row - Wet (litres)	231

GROUND CLEARANCE – STANDARD

Ride height (mm)	228 (Coil Suspension) 218 (Air Su
Approach angle	31.2° (Coil Suspension) 30.1° (Air S
Departure angle	37.8° (Coil Suspension) 37.7° (Air S
Ramp angle	22.6° (Coil Suspension) 22.0° (Air S

GROUND CLEARANCE - OFF ROAD

Ride height (mm)	_
Approach angle	
Departure angle	
Ramp angle	

WADING DEPTH

Maximum wading depth (mm)	850 (Coil Suspension) 900 (Ai
---------------------------	---------------------------------

TURNING CIRCLE

Kerb-to-kerb (m)	12.84
 Wall-to-wall (m)	13.1
Turns lock-to-lock (no. of turns)	2.7

1,032 / 1,025 / NA (5 seats) 1,032 / 1,025 / 1,041 (5+2 seats)
1,032 / 1,025 / NA (5 seats) 1,032 / 1,025 / 1,041 (5+2 seats)

